

2004

DCCN

I N D E X

AUTHOR INDEX

- Alexander SL. *See* Purnell D
- Baas LS. Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131-138
- Baxter A. Posttraumatic stress disorder and the intensive care unit patient: Implications for staff and advanced practice critical care nurses, (4):145-150
- Blanco K. *See* Hurst S
- Boogaard RJ. *See* Brosche TA
- Boyle D. *See* Hurst S
- Brannan S. Living with Diamond Blackfan Anemia: A challenge toward survival, (1):4-7
- Brennan S. *See* Lonergan-Thomas H
- Brosche TA, Middletown SK, Boogaard RJ. Enhanced external counterpulsation, (5):208-214
- Buschur C. *See* Sommers MS
- Cianci P. *See* Lonergan-Thomas H
- Collins AS. Pivotal role of platelets in critical illness: Evidence behind clinical interventions, (5):217-221
- Douglass L. *See* Hurst S
- Ehrman BLM, Moore HA. Blood conservation strategies in cardiovascular surgery, (6):244-253.
- Faas A. The intimacy of dying: A personal reflection, (3):122-124
- Faas AI. A personal reflection: The intimacy of dying: An act of presence, (4):176-178
- Farrell C. Poststroke depression in elderly patients. (6):264-269
- Glowacki DM. Taking the "critical" out of critical cardiac care: What does the future hold for cardiac care units, (1):10-17
- Godkin J. *See* Stinson CK
- Harrison S. A review of rhabdomyolysis, (4):155-161
- Hazlett T. *See* Purnell D
- Heinz D. Hospital nurse staffing and patient outcomes: A review of current literature, (1):44-50
- Hoffman RL, Roesch T. Update on transplant pharmacology: Sirolimus, (2):69-75
- Holaday B, Mills DM. Clinical research and the development of new drugs: Issues for nurses, (4):179-186
- Holcomb S. Asthma update, (3):101-108
- Hurst S, Blanco K, Boyle D, Douglass L, Wikas A. Bariatric implications of critical care nursing, (2):76-83
- Hurst S, McMillan M. Innovative solutions in critical care units: Extravasation guidelines, (3):125-128
- Ihlenfeld JT. Research Abstracts, (4):187-188
- Ihlenfeld JT. Research Abstracts, (5):234-235
- Ihlenfeld JT. Research Abstracts, (6):274-276
- Ihlenfeld JT. Applying personal reflective critical incident reviews in critical care, (1):1-3
- Ihlenfeld JT. Research abstracts, (3):139
- Ihlenfeld JT. Research Abstracts, (1):51-53
- Ihlenfeld JT. Research Abstracts, (2):93
- Josephson L. Management of increased intracranial pressure: A primer for the non-neuro critical care nurse, (5):194-207
- Kelly J. A personal reflection: Surviving professional development, (5):222-224
- Kelly J. Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31-37
- Kelly J. Spirituality as a coping mechanism, (4):162-168
- Keresztes PA. *See* Marthaler MT
- Little C. Ludwig's angina, (4):153-154
- Lonergan-Thomas H, Brennan S, Cianci P, Silver MA. Enhanced external counterpulsation: Bringing the concept of IABP to the outpatient setting, (3):119-121
- Maimo G, Redick E. Recognizing and treating methemoglobinemia: A rare but dangerous complication of

2004

DCCN

I N D E X

■ AUTHOR INDEX

Alexander SL. *See* Purnell D

Baas LS. Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131-138

Baxter A. Posttraumatic stress disorder and the intensive care unit patient: Implications for staff and advanced practice critical care nurses, (4):145-150

Blanco K. *See* Hurst S

Boogaard RJ. *See* Brosche TA

Boyle D. *See* Hurst S

Brannan S. Living with Diamond Blackfan Anemia: A challenge toward survival, (1):4-7

Brennan S. *See* Lonergan-Thomas H
Brosche TA, Middletown SK, Boogaard RJ. Enhanced external counterpulsation, (5):208-214

Buschur C. *See* Sommers MS

Cianci P. *See* Lonergan-Thomas H

Collins AS. Pivotal role of platelets in critical illness: Evidence behind clinical interventions, (5):217-221

Douglass L. *See* Hurst S

Ehrman BLM, Moore HA. Blood conservation strategies in cardiovascular surgery, (6):244-253.

Faas A. The intimacy of dying: A personal reflection, (3):122-124

Faas AI. A personal reflection: The intimacy of dying: An act of presence, (4):176-178

Farrell C. Poststroke depression in elderly patients. (6):264-269

Glowacki DM. Taking the "critical" out of critical cardiac care: What does the future hold for cardiac care units, (1):10-17

Godkin J. *See* Stinson CK

Harriston S. A review of rhabdomyolysis, (4):155-161

Hazlett T. *See* Purnell D

Heinz D. Hospital nurse staffing and patient outcomes: A review of current literature, (1):44-50

Hoffman RL, Roesch T. Update on transplant pharmacology: Sirolimus, (2):69-75

Holaday B, Mills DM. Clinical research and the development of new drugs: Issues for nurses, (4):179-186

Holcomb S. Asthma update, (3):101-108

Hurst S, Blanco K, Boyle D, Douglass L, Wikas A. Bariatric implications of critical care nursing, (2):76-83

Hurst S, McMillan M. Innovative solutions in critical care units: Extravasation guidelines, (3):125-128

Ihlenfeld JT. Research Abstracts, (4):187-188

Ihlenfeld JT. Research Abstracts, (5):234-235

Ihlenfeld JT. Research Abstracts, (6):274-276

Ihlenfeld JT. Applying personal reflective critical incident reviews in critical care, (1):1-3

Ihlenfeld JT. Research abstracts, (3):139

Ihlenfeld JT. Research Abstracts, (1):51-53

Ihlenfeld JT. Research Abstracts, (2):93

Josephson L. Management of increased intracranial pressure: A primer for the non-neuro critical care nurse, (5):194-207

Kelly J. A personal reflection: Surviving professional development, (5):222-224

Kelly J. Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31-37

Kelly J. Spirituality as a coping mechanism, (4):162-168

Keresztes PA. *See* Marthaler MT

Little C. Ludwig's angina, (4):153-154

Lonergan-Thomas H, Brennan S, Cianci P, Silver MA. Enhanced external counterpulsation: Bringing the concept of IABP to the outpatient setting, (3):119-121

Maimo G, Redick E. Recognizing and treating methemoglobinemia: A rare but dangerous complication of

- topical anesthetic or nitrate overdose, (3):116-118
- Marthaler MT, Keresztes PA. Evidence-based practice for the use of n-acetylcysteine, (6):270-276.
- McLenon M. Use of a specialized transport team for intrahospital transport of critically ill patients, (5):225-229
- McMillan M. *See* Hurst S
- Meadows J. *See* Thompson EJ
- Middletown SK. *See* Brosche TA
- Mills DM. *See* Holaday B
- Miracle VA. A nursing shortage, (5):236
- Miracle VA. Funny things nurses and doctors write or say, (4):190
- Miracle VA. Making sense of conflicting research findings, (5):230-233
- Miracle VA. Rights of patients, (3):129-130
- Miracle VA. What every nurse should know about malpractice (2):100
- Miracle VA. Women and Heart Disease, (1):54
- Miracle VA. Nurse editors gone wild in jest, of course (I think), (6):288
- Miracle VA. Prescription medications in seniors, (3):144
- Moore HA. *See* Ehrman BLM
- Muhlberg AH, Ruth-Sahd L. Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55-59
- Purnell D, Hazlett T, Alexander SL. Case Report: A new weapon against severe sepsis related to necrotizing fasciitis, (1):18-23
- Redick E. *See* Maimo G
- Reich DA. *See* Thompson EJ
- Robinson R. End-of-life education in undergraduate nursing curricula, (2):89-92
- Robinson R. *See* Stinson CK
- Roesch T. *See* Hoffman RL
- Rogerson WT, Tremethick MJ. Turning the tide on medical errors in intensive care units: A human factors approach, (4):169-175
- Ruth-Sahd L. *See* Muhlberg AH

- Silver MA. *See* Loneragan-Thomas H
- Sommers MS, Buschur C. Injury in women who are raped: What every critical care nurse needs to know, (2):62-68
- Stinson CK, Godkin J, Robinson R. Ethical dilemma: Voluntarily stopping eating and drinking, (1):38-43
- Thompson EJ, Reich DA, Meadows J. Radiofrequency ablation in the pulmonary veins for paroxysmal, drug-resistant atrial fibrillation, (6):255-263.
- Tijerina AJ. The biochemical basis of metabolism in cancer cachexia, (6):237-243.
- Tremethick MJ. *See* Rogerson WT
- Tremper RAS. Cognitive deficits following cardiac surgery: A brief review of the literature, (2):93
- Tremper RS. Mediastinal exploration in the surgical intensive care unit, (1):24-30
- Trethewey P. Systemic lupus erythematosus, (3):111-115
- Turner J. Prevention of drowning in infants and children, (5):191-193

Wikas A. *See* Hurst S

- York NL. Implementing a family presence protocol option, (2):84-88

■ SUBJECT INDEX

A

- Accountability**
Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31
- Anemia**
Living with Diamond Blackfan Anemia, (1):4
- Angina**
Ludwig's angina, (4):153
- Asthma**
Asthma update, (3):101
- Atrial fibrillation**
Radiofrequency ablation in the pulmonary veins for paroxysmal, drug-resistant atrial fibrillation, (6):255

Autoimmune disorder

- Systemic lupus erythematosus, (3):111

B

Bariatric surgery

- Bariatric implications of critical care nursing, (2):76

Blood conservation

- Blood conservation strategies in cardiovascular surgery, (6):244

Brain injury

- Computer tomography scans can reveal presence of low attenuation subdural fluid (research abstract), (2):97

C

Cancer cachexia

- The biochemical basis of metabolism in cancer cachexia, (6):237

Cardiac surgery

- Cognitive deficits following cardiac surgery, (2):93

Cardiovascular surgery

- Blood conservation strategies in cardiovascular surgery, (6):244

Cognitive deficits

- Cognitive deficits following cardiac surgery, (2):93

Computer-aided tomography

- Computer tomography scans can reveal presence of low attenuation subdural fluid (research abstract), (2):97
- Evidence-based practice for the use of N-acetylcysteine, (6):270

Congestive heart failure

- Enhanced external counterpulsation: Bringing the concept of the intra-aortic balloon pump to the outpatient setting, (3):119

Coping

- Spirituality as a coping mechanism, (4):162

Critical care

- Applying reflective critical incident reviews in critical care, (1):1
- Bariatric implications of critical care nursing, (2):76
- Injury in women who are raped: What every critical care nurse needs to know, (2):62
- Innovative solutions in critical care units, (3):125
- Taking the "critical" out of critical cardiac care, (1):10

Critical incident review

Applying reflective critical incident reviews in critical care, (1):1

Critically-ill patients

Pivotal role of platelets in critical illness, (5):217

Taking the "critical" out of critical cardiac care, (1):10

Use of a specialized transport team for intrahospital transport of critically ill patients, (5):225

Curricula

End-of-life education in undergraduate nursing curricula, (2):89

D

Death and dying

Applying reflective critical incident reviews in critical care, (1):10

End-of-life education in undergraduate nursing curricula, (2):89

The intimacy of dying, (3):122

A personal reflection: The intimacy of dying: An act of presence, (4):176

Depression

Poststroke depression in elderly patients, (6):264

Developmental delays

Benign extra-axial fluid in infants may be related to developmental delays (research abstract), (5):234

Diagnosis

Posttraumatic stress disorder and the intensive care unit patient, (4):145

Diamond Blackfan Anemia

Living with Diamond Blackfan Anemia, (1):4

Drowning prevention

Prevention of drowning in infants and children, (5):191

Drug resistance

Many infections in infants found to be resistant to ampicillin (research abstract), (1):51

E

Editorials

Funny things nurses and doctors write or say, (4):190

Nurse editors gone wild: In jest, of course (I think), (6):288

The nursing shortage: Why we stay, why we leave, and why we never considered nursing as a career in the first place, (5):236

Prescription medications for seniors, (3):144

What every nurse should know about malpractice, (2):100

Women and heart disease, (1):54

Education

Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31

End-of-life education in undergraduate nursing curricula, (2):89

The intimacy of dying, (3):122

Living with Diamond Blackfan Anemia, (1):4

Mediastinal exploration in the surgical intensive care unit, (1):24

A personal reflection: Surviving professional development, (5):222

A personal reflection: The intimacy of dying: An act of presence, (4):176

Turning the tide on medical errors in intensive care units, (4):169

Elderly patients

Ethical dilemma: Voluntarily stopping eating and drinking, (1):38

Poststroke depression in elderly patients, (6):264

Prescription medications for seniors, (3):144

Taking the "critical" out of critical cardiac care, (1):10

End-of-life care

End-of-life education in undergraduate nursing curricula, (2):89

Enhanced external counterpulsation

Enhanced external counterpulsation, (5):208

Enhanced external counterpulsation: Bringing the concept of the intraaortic balloon pump to the out-patient setting, (3):119

Enhanced external counterpulsation: Bringing the concept of the intraaortic balloon pump to the out-patient setting, (3):119

Errors

Residents' progress notes contain many errors (research abstract), (1):51

Turning the tide on medical errors in intensive care units, (4):169

Ethical issues

Ethical dilemma: Voluntarily stopping eating and drinking, (1):38

Ethics consultations in ICUs help reduce nonbeneficial treatments (research abstract), (2):96

Extravasation

Innovative solutions in critical care units, (3):125

F

Families

Implementing a family presence protocol option, (2):84

H

Health promotion

Systematic lupus erythematosus, (3):111

Heart disease

Cognitive deficits following cardiac surgery, (2):93

Taking the "critical" out of critical cardiac care, (1):10

Women and heart disease, (1):54

Heart failure

Enhanced external counterpulsation: Bringing the concept of the intraaortic balloon pump to the out-patient setting, (3):119

Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131

Taking the "critical" out of critical cardiac care, (1):10

Holistic care

Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Holistic care: Treatment and interventions for hypovolemic shock secondary to hemorrhage, (2):55

Insulin infusion

Extremely low birthweight infants may benefit from continuous insulin infusion (research abstract), (6):274

Intensive care unit

Ethics consultations in ICUs help reduce nonbeneficial treatments (research abstract), (2):96

Management of increased intracranial pressure, (5):194

Mediastinal exploration in the surgical intensive care unit, (1):24

Posttraumatic stress disorder and the intensive care unit patient, (4):145

Residents' progress notes contain many errors (research abstract), (1):51

Sedation in PICU should be strictly controlled (research abstract), (4):187

Taking the "critical" out of critical cardiac care, (1):10

Turning the tide on medical errors in intensive care units, (4):169

Intraaortic balloon pump

Enhanced external counterpulsation: Bringing the concept of the intraaortic balloon pump to the outpatient setting, (3):119

Intracranial pressure

Management of increased intracranial pressure, (5):194

Ipecac syrup

Ipecac syrup not recommended by poison control centers (research abstract), (3):139

Ischemic heart disease

Enhanced external counterpulsation, (5):208

L**Leadership**

Ethical dilemma: Voluntarily stopping eating and drinking, (1):38

Evidence-based practice for the use of N-acetylcysteine, (6):270

Implementing a family presence protocol option, (2):84

Innovative solutions in critical care units, (3):125

Rights of patients, (3):129

Spirituality as a coping mechanism, (4):162

Use of a specialized transport team for intrahospital transport of critically ill patients, (5):225

L**Low birth weight infants**

Extremely low birthweight infants may benefit from continuous insulin infusion (research abstract), (6):274

Infant flow CPAP found to be as effective as conventional CPAP in extremely low birth weight infants (research abstract), (3):139

M**Magnetic resonance imaging**

Evidence-based practice for the use of N-acetylcysteine, (6):270

Malpractice

What every nurse should know about malpractice, (2):100

Methemoglobinemia

Recognizing and treating methemoglobinemia, (3):116

Myocardial infarction

Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131

N**N-acetylcysteine**

Evidence-based practice for the use of N-acetylcysteine, (6):270

Necrotizing fasciitis

A new weapon against severe sepsis related to necrotizing fasciitis, (1):18

Nitrate overdose

Recognizing and treating methemoglobinemia, (3):116

Nitric oxide therapy

Early inhaled nitric oxide therapy not found to help premature infants with respiratory failure (research abstract), (6):274

Nonbeneficial treatments

Ethics consultations in ICUs help reduce nonbeneficial treatments (research abstract), (2):96

Nurse specialist

Innovative solutions in critical care units, (3):125

Nursing certification

Nursing certification organizations, (6):276

Nursing developments

Accountability and recent developments in nursing: Be bold, be holistic: A review of the literature, (1):31

Nursing organizations

Guide to nursing organizations, (3):140

Nursing shortage

Hospital nurse staffing and patient outcomes, (1):44

The nursing shortage: Why we stay, why we leave, and why we never considered nursing as a career in the first place, (5):236

Nutritional support

Ethical dilemma: Voluntarily stopping eating and drinking, (1):38

O**Obesity**

Bariatric implications of critical care nursing, (2):76

Organ transplantation

Update on transplant pharmacology, (2):69

Outpatient care

Enhanced external counterpulsation: Bringing the concept of the intraaortic balloon pump to the outpatient setting, (3):119

P**Pain**

Glucose water reduces neonates' pain better than skin cream (research abstract), (4):187

Patient outcomes

Hospital nurse staffing and patient outcomes, (1):44

Mothers' anxiety at discharge is related to outcomes or premature infants (research abstract), (5):234

Patient rights

Rights of patients, (3):129

Pediatrics

Benign extra-axial fluid in infants may be related to developmental delays (research abstract), (5):234

Computer tomography scans can reveal presence of low attenuation subdural fluid (research abstract), (2):97

Early inhaled nitric oxide therapy not found to help premature infants with respiratory failure (research abstract), (6):274

Extremely low birthweight infants may benefit from continuous insulin infusion (research abstract), (6):274

Glucose water reduces neonates' pain better than skin cream (research abstract), (4):187

Infant flow CPAP found to be as effective as conventional CPAP in extremely low birth weight infants (research abstract), (3):139

Ipecac syrup not recommended by poison control centers (research abstract), (3):139

Many infections in infants found to be resistant to ampicillin (research abstract), (1):51

Mothers' anxiety at discharge is related to outcomes or premature infants (research abstract), (5):234

PALS guidelines shown to reduce septic shock; more education needed (research abstract), (2):97

Pertussis vaccination at birth results in increased antibody development (research abstract), (1):52

Prevention of drowning in infants and children, (5):191

Personnel issues

Hospital nurse staffing and patient outcomes, (1):44

The nursing shortage: Why we stay, why we leave, and why we never considered nursing as a career in the first place, (5):236

Pharmacology

Clinical research and the development of new drugs, (4):179

Prescription medications for seniors, (3):144

Update on transplant pharmacology, (2):69

Platelets

Pivotal role of platelets in critical illness, (5):217

Poisoning

Ipecac syrup not recommended by poison control centers (research abstract), (3):139

Posttraumatic stress disorder

Posttraumatic stress disorder and the intensive care unit patient, (4):145

Prescription medications

Prescription medications for seniors, (3):144

Professional development

A personal reflection: Surviving professional development, (5):222

Q

Quality of life

Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131

R

Radiofrequency ablation

Radiofrequency ablation in the pulmonary veins for paroxysmal, drug-resistant atrial fibrillation, (6):255

Research

Clinical research and the development of new drugs, (4):179

Cognitive deficits following cardiac surgery, (2):93

Hospital nurse staffing and patient outcomes, (1):44

Making sense of conflicting research findings, (5):230

Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131

Respiratory failure

Early inhaled nitric oxide therapy not found to help premature infants with respiratory failure (research abstract), (6):274

Rhabdomyolysis

A review of rhabdomyolysis, (4):155

S

Saturation interference

Recognizing and treating methemoglobinemia, (3):116

Sedation

Sedation in PICU should be strictly controlled (research abstract), (4):187

Self-care

Self-care resources and activity as predictors of quality of life in persons after myocardial infarction, (3):131

Sepsis

Ludwig's angina, (4):153

A new weapon against severe sepsis related to necrotizing fasciitis, (1):18

Septic shock

PALS guidelines shown to reduce septic shock; more education needed (research abstract), (2):97

Sexual assault

Injury in women who are raped: What every critical care nurse needs to know, (2):62

Spirituality

Spirituality as a coping mechanism, (4):162

Stroke

Poststroke depression in elderly patients, (6):264

Surgery

Bariatric implications of critical care nursing, (2):76

Blood conservation strategies in cardiovascular surgery, (6):244

Cognitive deficits following cardiac surgery, (2):93

Mediastinal exploration in the surgical intensive care unit, (1):24

Systemic lupus erythematosus

Systemic lupus erythematosus, (3):111

T

Transportation issues

Use of a specialized transport team for intrahospital transport of critically ill patients, (5):225

Trauma

Computer tomography scans can reveal presence of low attenuation subdural fluid (research abstract), (2):97

V

Vaccination

Pertussis vaccination at birth results in increased antibody development, (1):52

Pertussis vaccination at birth results in increased antibody development (research abstract), (1):52

Ventilation

Infant flow CPAP found to be as effective as conventional CPAP in extremely low birth weight infants (research abstract), (3):139

W

Women

Injury in women who are raped: What every critical care nurse needs to know, (2):62

Women and heart disease, (1):54

